

# Package ‘Randomuseragent’

January 20, 2025

**Type** Package

**Title** Filtering and Randomly Sampling Real User-Agent Strings

**Version** 0.0.1

**Description** Based on data of real user-agent strings, we can set filtering conditions and randomly sample user-agent strings from the user-agent string pool.

**License** MIT + file LICENSE

**Encoding** UTF-8

**Depends** R (>= 3.5)

**Suggests** dplyr, knitr, markdown, rmarkdown

**VignetteBuilder** knitr

**URL** <https://github.com/fangzhou-xie/Randomuseragent>,  
<https://fangzhou-xie.github.io/Randomuseragent/index.html>

**BugReports** <https://github.com/fangzhou-xie/randomuseragent/issues>

**RoxygenNote** 7.1.1

**NeedsCompilation** no

**Author** Fangzhou Xie [aut, cre] (<<https://orcid.org/0000-0001-7702-093X>>)

**Maintainer** Fangzhou Xie <fangzhou.xie@rutgers.edu>

**Repository** CRAN

**Date/Publication** 2021-06-17 08:00:04 UTC

## Contents

filter_useragent . . . . .	2
random_useragent . . . . .	3
<b>Index</b>	<b>4</b>

filter\_useragent      *filter useragents based on criteria*

---

### Description

filter useragents based on criteria

### Usage

```
filter_useragent(  
  min_obs = 0,  
  software_name = NULL,  
  software_type = NULL,  
  operating_system_name = NULL,  
  layout_engine_name = NULL  
)
```

### Arguments

min\_obs            minimum number observed for any given UA string, default 5000

software\_name    e.g. "Chrome", "Safari", "Firefox", "Edge", etc

software\_type    e.g. "browser", "bot", "application"

operating\_system\_name  
                  e.g. "Windows", "Linux", "Mac OS X", "macOS", etc

layout\_engine\_name  
                  e.g. "Gecko", "Blink", etc

### Value

character vector of user agents

### Examples

```
filter_useragent(  
  min_obs = 500000,  
  software_name = "Chrome",  
  operating_system_name = "Linux"  
)
```

---

random_useragent	<i>randomly choosing an user-agent string, given a set of conditions</i>
------------------	--

---

**Description**

randomly choosing an user-agent string, given a set of conditions

**Usage**

```
random_useragent(  
  min_obs = 5000,  
  software_name = NULL,  
  software_type = "browser",  
  operating_system_name = "Windows",  
  layout_engine_name = NULL  
)
```

**Arguments**

min_obs	minimum number observed for any given UA string, default 5000
software_name	e.g. "Chrome", "Safari", "Firefox", "Edge", etc
software_type	e.g. "browser", "bot", "application"
operating_system_name	e.g. "Windows", "Linux", "Mac OS X", "macOS", etc
layout_engine_name	e.g. "Gecko", "Blink", etc

**Value**

a random user agent string, given filter conditions

**Examples**

```
random_useragent()
```

# Index

`filter_useragent`, 2

`random_useragent`, 3