

Package ‘aion’

February 27, 2025

Title Archaeological Time Series

Version 1.4.0

Description A toolkit for archaeological time series and time intervals.

This package provides a system of classes and methods to represent and work with archaeological time series and time intervals. Dates are represented as “`rata die” and can be converted to (virtually) any calendar defined by Reingold and Dershowitz (2018) <[doi:10.1017/9781107415058](https://doi.org/10.1017/9781107415058)>. This packages offers a simple API that can be used by other specialized packages.

License GPL (>= 3)

URL <https://codeberg.org/tesselle/aion>,
<https://packages.tesselle.org/aion/>

BugReports <https://codeberg.org/tesselle/aion/issues>

Depends R (>= 3.3)

Imports arkhe (>= 1.10.0), graphics, grDevices, methods, stats, utils

Suggests folio (>= 1.5.0), igrph, knitr, markdown, rsvg, svglite,
tinysnapshot, tinytest

VignetteBuilder knitr

Encoding UTF-8

LazyData true

RoxygenNote 7.3.2

X-schema.org-applicationCategory Archaeological Science

X-schema.org-isPartOf <https://www.tesselle.org>

X-schema.org-keywords time-series, r-package, archaeology,
archaeological-science, chronology, r-package

Collate 'AllClasses.R' 'AllGenerics.R' 'aion-internal.R'
'aion-package.R' 'axis.R' 'calendar-gregorian.R'
'calendar-julian.R' 'calendar.R' 'coerce.R' 'convert.R'
'data.R' 'format.R' 'graph.R' 'intervals.R' 'mutators.R'
'operators.R' 'overlap.R' 'plot.R' 'series.R' 'show.R' 'span.R'
'subset.R' 'time.R' 'validate.R' 'year.R' 'zzz.R'

NeedsCompilation no

Author Nicolas Frerebeau [aut, cre] (<<https://orcid.org/0000-0001-5759-4944>>),
 Joe Roe [aut] (<<https://orcid.org/0000-0002-1011-1244>>),
 Brice Lebrun [art] (<<https://orcid.org/0000-0001-7503-8685>>, Logo
 designer),
 Université Bordeaux Montaigne [fnd] (03pbgwk21),
 CNRS [fnd] (02feahw73)

Maintainer Nicolas Frerebeau <nicolas.frerebeau@u-bordeaux-montaigne.fr>

Repository CRAN

Date/Publication 2025-02-27 03:20:02 UTC

Contents

arithmetic	3
as.data.frame	4
as_date	5
as_decimal	7
as_fixed	8
as_graph	9
as_year	10
calendar	12
calendar_get	13
convert	15
dates	16
fixed	17
fixed_gregorian	18
fixed_julian	20
format	21
get_calendar	22
gregorian	24
image	25
intervals	26
is_calendar	27
julian	28
labels	29
length	29
overlap	30
plot	31
pretty	34
RataDie-class	34
series	35
span	37
start	38
subset	39
time	40
TimeIntervals-class	41

<i>arithmetic</i>	3
TimeScale-class	42
TimeSeries-class	43
window	43
year_axis	44
Index	46

arithmetic	<i>Arithmetic Operators</i>
------------	-----------------------------

Description

Operators performing arithmetic operations.

Usage

```
## S4 method for signature 'RataDie,RataDie'
Arith(e1, e2)
```

```
## S4 method for signature 'numeric,RataDie'
Arith(e1, e2)
```

```
## S4 method for signature 'RataDie,numeric'
Arith(e1, e2)
```

Arguments

e1, e2 A [RataDie](#) object or a [numeric](#) vector.

Details

Rata die will be converted to a plain numeric vector if a computation no longer makes sense in temporal terms.

Value

A [logical](#) vector.

Author(s)

N. Frerebeau

See Also

Other fixed date tools: [as_date\(\)](#), [as_decimal\(\)](#), [as_fixed\(\)](#), [as_year\(\)](#), [fixed\(\)](#), [fixed_gregorian](#), [fixed_julian](#), [format\(\)](#), [pretty\(\)](#)

Examples

```
## Vectors of years
x <- fixed(c(-350, 31, 1072, 576, 1130), calendar = CE())
y <- fixed(c(1494, 1645, -869, 1440, 1851), calendar = CE())

## Move forward in time
x + y

## Move backward in time
x - y

## Not rata die anymore
x * y
```

as.data.frame

Coerce to a Data Frame

Description

Coerce to a Data Frame

Usage

```
## S4 method for signature 'TimeSeries'
as.data.frame(x, ..., calendar = NULL)

## S4 method for signature 'TimeIntervals'
as.data.frame(x, ..., calendar = NULL)
```

Arguments

x	A TimeSeries or a TimeIntervals object.
...	Further parameters to be passed to data.frame() .
calendar	A TimeScale object specifying the target calendar (see calendar()). If NULL (the default), <i>rata die</i> are returned.

Value

A [data.frame](#).

Methods (by class)

- `as.data.frame(TimeSeries)`: Returns a long [data.frame](#) with the following columns:
 - `time` The (decimal) years at which the time series was sampled.
 - `series` The name of the time series.
 - `variable` The name of the variables.
 - `value` The observed value.

- `as.data.frame(TimeIntervals)`: Returns a [data.frame](#) with the following columns:
 - label The name of the intervals.
 - start The start time of the intervals, in (decimal) years.
 - end The end time of the intervals, in (decimal) years.

Author(s)

N. Frerebeau

See Also

Other mutators: [labels\(\)](#), [length\(\)](#), [subset\(\)](#)

Examples

```
## Create time-series of 20 observations

## Univariate
## Sampled every years starting from 1029 BCE
(X <- series(rnorm(30), time = 1029:1000, calendar = BCE()))

## Terminal and sampling times (returns rata die)
start(X)
end(X)
time(X)
span(X)

## Multivariate
## Sampled every century starting from 1000 CE
(Y <- series(matrix(rnorm(90), 30, 3), time = 1000:1029, calendar = CE()))

## Terminal and sampling times (returns Gregorian Common Era years)
start(Y, calendar = CE())
end(Y, calendar = CE())
time(Y, calendar = CE())
span(Y, calendar = CE())

## Coerce to data frame
df <- as.data.frame(Y, calendar = BP())
head(df)
```

as_date

Date Conversion from Rata Die

Description

Date Conversion from *Rata Die*

Usage

```
as_date(object, calendar)

## S4 method for signature 'numeric,GregorianCalendar'
as_date(object, calendar)

## S4 method for signature 'numeric,JulianCalendar'
as_date(object, calendar)
```

Arguments

object A [RataDie](#) object (see [fixed\(\)](#)).

calendar A [TimeScale](#) object specifying the target calendar (see [calendar\(\)](#)).

Value

A [numeric](#) vector of (decimal) years.

Author(s)

N. Frerebeau

References

Reingold, E. M. and Dershowitz, N. (2018). *Calendrical Calculations: The Ultimate Edition*. Cambridge University Press. doi:[10.1017/9781107415058](https://doi.org/10.1017/9781107415058).

See Also

Other fixed date tools: [arithmetic](#), [as_decimal\(\)](#), [as_fixed\(\)](#), [as_year\(\)](#), [fixed\(\)](#), [fixed_gregorian](#), [fixed_julian](#), [format\(\)](#), [pretty\(\)](#)

Examples

```
## R 1.0.0
(y <- fixed(year = 2000, month = 02, day = 29, calendar = CE()))
as_date(y, calendar = CE())
as_year(y, calendar = CE())

## Create a vector of years BP (Gregorian)
## (every two years starting from 2000 BP)
(years <- seq(from = 2000, by = -2, length.out = 10))
## Convert years to rata die
(rd <- fixed(years, calendar = BP()))
## Convert back to Gregorian years BP
as_year(rd, calendar = BP())

## More convenient
(rd <- fixed_from_BP(years))
fixed_to_BP(rd)
```

`as_decimal`*Converts a Date to a Decimal of its Year*

Description

Converts a Date to a Decimal of its Year

Usage

```
as_decimal(year, month, day, calendar)
```

```
## S4 method for signature 'numeric,numeric,numeric,GregorianCalendar'  
as_decimal(year, month, day, calendar)
```

```
## S4 method for signature 'numeric,numeric,numeric,JulianCalendar'  
as_decimal(year, month, day, calendar)
```

Arguments

<code>year</code>	A numeric vector of years. If month and day are missing, decimal years are expected.
<code>month</code>	A numeric vector of months.
<code>day</code>	A numeric vector of days.
<code>calendar</code>	A TimeScale object specifying the calendar of year, month and day (see calendar()).

Value

A [numeric](#) vector of (ecimal years).

Author(s)

N. Frerebeau

See Also

Other fixed date tools: [arithmetic](#), [as_date\(\)](#), [as_fixed\(\)](#), [as_year\(\)](#), [fixed\(\)](#), [fixed_gregorian](#), [fixed_julian](#), [format\(\)](#), [pretty\(\)](#)

Examples

```
## R 1.0.0  
(y <- fixed(year = 2000, month = 02, day = 29, calendar = CE()))  
as_date(y, calendar = CE())  
as_year(y, calendar = CE())  
  
## Create a vector of years BP (Gregorian)  
## (every two years starting from 2000 BP)
```

```
(years <- seq(from = 2000, by = -2, length.out = 10))
## Convert years to rata die
(rd <- fixed(years, calendar = BP()))
## Convert back to Gregorian years BP
as_year(rd, calendar = BP())

## More convenient
(rd <- fixed_from_BP(years))
fixed_to_BP(rd)
```

as_fixed

Coerce to Rata Die

Description

Coerce to *Rata Die*

Usage

```
as_fixed(from)
```

```
## S4 method for signature 'numeric'
as_fixed(from)
```

Arguments

from A [numeric](#) vector of *rata die*.

Value

A [RataDie](#) object.

Author(s)

N. Frerebeau

References

Reingold, E. M. and Dershowitz, N. (2018). *Calendrical Calculations: The Ultimate Edition*. Cambridge University Press. doi:10.1017/9781107415058.

See Also

Other fixed date tools: [arithmetic](#), [as_date\(\)](#), [as_decimal\(\)](#), [as_year\(\)](#), [fixed\(\)](#), [fixed_gregorian](#), [fixed_julian](#), [format\(\)](#), [pretty\(\)](#)

Examples

```
## R 1.0.0
(y <- fixed(year = 2000, month = 02, day = 29, calendar = CE()))
as_date(y, calendar = CE())
as_year(y, calendar = CE())

## Create a vector of years BP (Gregorian)
## (every two years starting from 2000 BP)
(years <- seq(from = 2000, by = -2, length.out = 10))
## Convert years to rata die
(rd <- fixed(years, calendar = BP()))
## Convert back to Gregorian years BP
as_year(rd, calendar = BP())

## More convenient
(rd <- fixed_from_BP(years))
fixed_to_BP(rd)
```

as_graph

*Interval Graph***Description**

Interval Graph

Usage

```
as_graph(object, ...)

## S4 method for signature 'TimeIntervals'
as_graph(object, aggregate = TRUE, ...)
```

Arguments

object	A TimeIntervals object.
...	Currently not used.
aggregate	A logical scalar: should disjoint intervals referring to the same event be aggregated?

Details

An interval graph is the graph showing intersecting intervals on a line. As time is linear and not circular, an interval graph contains no cycles with more than three edges and no shortcuts.

Value

An **igraph** graph object.

Author(s)

N. Frerebeau

See Also

Other chronological reasoning tools: [overlap\(\)](#)

Examples

```
## Not run:
## Seven intervals
int <- intervals(
  start = c(1, 2, 3, 6, 9, 13, 17),
  end = c(7, 4, 15, 14, 11, 18, 19),
  calendar = CE(),
  names = c("A", "B", "C", "D", "E", "F", "G")
)

## Do the intervals overlap?
overlap(int) > 0

## Interval graph
g <- as_graph(int)
plot(g)

## End(Not run)
```

as_year

Year Conversion from Rata Die

Description

Year Conversion from *Rata Die*

Usage

```
as_year(object, calendar, ...)

## S4 method for signature 'numeric,GregorianCalendar'
as_year(object, calendar, decimal = TRUE, ...)

## S4 method for signature 'numeric,JulianCalendar'
as_year(object, calendar, decimal = FALSE, ...)
```

Arguments

object	A RataDie object (see fixed()).
calendar	A TimeScale object specifying the target calendar (see calendar()).
...	Currently not used.
decimal	A logical scalar: should decimal years be returned? If FALSE, the decimal part is dropped.

Value

A [numeric](#) vector of (decimal) years.

Author(s)

N. Frerebeau

References

Reingold, E. M. and Dershowitz, N. (2018). *Calendrical Calculations: The Ultimate Edition*. Cambridge University Press. doi:10.1017/9781107415058.

See Also

Other fixed date tools: [arithmetic](#), [as_date\(\)](#), [as_decimal\(\)](#), [as_fixed\(\)](#), [fixed\(\)](#), [fixed_gregorian](#), [fixed_julian](#), [format\(\)](#), [pretty\(\)](#)

Examples

```
## R 1.0.0
(y <- fixed(year = 2000, month = 02, day = 29, calendar = CE()))
as_date(y, calendar = CE())
as_year(y, calendar = CE())

## Create a vector of years BP (Gregorian)
## (every two years starting from 2000 BP)
(years <- seq(from = 2000, by = -2, length.out = 10))
## Convert years to rata die
(rd <- fixed(years, calendar = BP()))
## Convert back to Gregorian years BP
as_year(rd, calendar = BP())

## More convenient
(rd <- fixed_from_BP(years))
fixed_to_BP(rd)
```

calendar	<i>Calendar</i>
----------	-----------------

Description

Calendar

Usage

```
calendar(object)
```

```
## S4 method for signature 'character'
calendar(object)
```

Arguments

object A [character](#) string specifying the abbreviated label of the time scale (see details).

Details

The following time scales are available:

label	era	calendar
BP	Before Present	Gregorian
BC	Before Christ	Gregorian
BCE	Before Common Era	Gregorian
AD	Anno Domini	Gregorian
CE	Common Era	Gregorian
b2k	Years before 2000	Gregorian
julian		Julian

Value

A [TimeScale](#) object.

Note

Inspired by [era::era\(\)](#) by Joe Roe.

Author(s)

N. Frerebeau

See Also

Other calendar tools: [calendar_get](#), [convert\(\)](#), [get_calendar\(\)](#), [gregorian](#), [is_calendar\(\)](#), [julian\(\)](#)

Examples

```
## Define time scales
calendar("BP")
calendar("AD")
calendar("julian")

## Shortcuts
BP()
AD()
J()
```

calendar_get	<i>Calendar Parameters</i>
--------------	----------------------------

Description

Calendar Parameters

Usage

```
calendar_label(object)

calendar_name(object)

calendar_unit(object)

calendar_epoch(object)

calendar_fixed(object)

calendar_direction(object)

calendar_year(object)

## S4 method for signature 'TimeScale'
calendar_label(object)

## S4 method for signature 'TimeScale'
calendar_name(object)

## S4 method for signature 'TimeScale'
calendar_unit(object)

## S4 method for signature 'TimeScale'
calendar_epoch(object)

## S4 method for signature 'TimeScale'
```

```
calendar_fixed(object)

## S4 method for signature 'TimeScale'
calendar_direction(object)

## S4 method for signature 'NULL'
calendar_direction(object)

## S4 method for signature 'TimeScale'
calendar_year(object)
```

Arguments

object A [TimeScale](#) object.

Value

- `calendar_label()` returns a [character](#) string giving the abbreviated label of the time scale.
- `calendar_name()` returns a [character](#) string giving the name of the time scale.
- `calendar_unit()` returns a [character](#) string giving the unit of the calendar.
- `calendar_fixed()` returns a length-one [numeric](#) vector giving the reference date of the calendar (in *rata die*).
- `calendar_epoch()` returns a length-one [numeric](#) vector giving the epoch year from which years are counted (starting date of the calendar, in years).
- `calendar_direction()` returns a length-one [integer](#) vector specifying if years are counted backwards (-1) or forwards (1) from epoch. Only the [sign](#) of `calendar_direction()` is relevant.
- `calendar_year()` returns a length-one [numeric](#) vector giving the average length of the year in solar days.

Author(s)

N. Frerebeau

See Also

Other calendar tools: [calendar\(\)](#), [convert\(\)](#), [get_calendar\(\)](#), [gregorian](#), [is_calendar\(\)](#), [julian\(\)](#)

Examples

```
## Define time scales
calendar("BP")
calendar("AD")
calendar("julian")

## Shortcuts
BP()
```

```
AD()
J()
```

convert

Calendar Converter

Description

Interconverts dates in a variety of calendars.

Usage

```
convert(from, to, ...)
```

```
## S4 method for signature 'character,character'
convert(from, to)
```

```
## S4 method for signature 'TimeScale,TimeScale'
convert(from, to)
```

Arguments

from	A TimeScale object describing the source calendar.
to	A TimeScale object describing the target calendar.
...	Currently not used.

Value

A [function](#) that when called with a single numeric argument (fractional years) converts years from one calendar to another.

Author(s)

N. Frerebeau

See Also

Other calendar tools: [calendar\(\)](#), [calendar_get](#), [get_calendar\(\)](#), [gregorian](#), [is_calendar\(\)](#), [julian\(\)](#)

Examples

```
## Define time scales
BP <- calendar("BP")
AD <- calendar("AD")

## Make conversion functions
BP_to_AD <- convert(BP, AD)
```

```
AD_to_BP <- convert(AD, BP)

## Convert years
BP_to_AD(0)
AD_to_BP(1950)
```

dates

Sample Data from Reingold and Dershowitz (2018)

Description

A dataset of 33 dates from the years -1000 to 2100 with their equivalents on different calendars.

Usage

dates

Format

A `data.frame` with 33 rows and 14 variables:

rata_die Rata die.

weekday Week day.

jd Julian day.

mjd Modified Julian day.

unix Unix.

gregorian_year, gregorian_month, gregorian_day Gregorian date.

julian_year, julian_month, julian_day Julian date.

egyptian_year, egyptian_month, egyptian_day Egyptian date.

References

Reingold, E. M. and Dershowitz, N. (2018). *Calendrical Calculations: The Ultimate Edition*. Cambridge University Press. [doi:10.1017/9781107415058](https://doi.org/10.1017/9781107415058).

fixed	Rata Die (<i>Fixed Date</i>)
-------	--------------------------------

Description

Rata Die (Fixed Date)

Usage

```
fixed(year, month, day, calendar, ...)  
  
## S4 method for signature 'numeric,missing,missing,GregorianCalendar'  
fixed(year, calendar, scale = 1)  
  
## S4 method for signature 'numeric,numeric,numeric,GregorianCalendar'  
fixed(year, month, day, calendar)  
  
## S4 method for signature 'numeric,missing,missing,JulianCalendar'  
fixed(year, calendar, scale = 1)  
  
## S4 method for signature 'numeric,numeric,numeric,JulianCalendar'  
fixed(year, month, day, calendar)
```

Arguments

year	A numeric vector of years. If month and day are missing, decimal years are expected.
month	A numeric vector of months.
day	A numeric vector of days.
calendar	A TimeScale object specifying the calendar of year, month and day (see calendar()).
...	Currently not used.
scale	A length-one integer vector specifying the number of years represented by one unit. It should be a power of 10 (i.e. 1000 means ka).

Details

Rata die are represented as the number of days since 01-01-01 (Gregorian), with negative values for earlier dates.

Value

A [RataDie](#) object.

Author(s)

N. Frerebeau

References

Reingold, E. M. and Dershowitz, N. (2018). *Calendrical Calculations: The Ultimate Edition*. Cambridge University Press. doi:10.1017/9781107415058.

See Also

Other fixed date tools: [arithmetic](#), [as_date\(\)](#), [as_decimal\(\)](#), [as_fixed\(\)](#), [as_year\(\)](#), [fixed_gregorian](#), [fixed_julian](#), [format\(\)](#), [pretty\(\)](#)

Examples

```
## R 1.0.0
(y <- fixed(year = 2000, month = 02, day = 29, calendar = CE()))
as_date(y, calendar = CE())
as_year(y, calendar = CE())

## Create a vector of years BP (Gregorian)
## (every two years starting from 2000 BP)
(years <- seq(from = 2000, by = -2, length.out = 10))
## Convert years to rata die
(rd <- fixed(years, calendar = BP()))
## Convert back to Gregorian years BP
as_year(rd, calendar = BP())

## More convenient
(rd <- fixed_from_BP(years))
fixed_to_BP(rd)
```

fixed_gregorian

Rata Die *Conversion to and from Gregorian Years*

Description

Convenient functions for conversion from and to *rata die* for a given Gregorian era.

Usage

```
fixed_from_BP(year, month, day)

fixed_to_BP(object)

fixed_from_BC(year, month, day)

fixed_to_BC(object)

fixed_from_BCE(year, month, day)

fixed_to_BCE(object)
```

```
fixed_from_AD(year, month, day)
```

```
fixed_to_AD(object)
```

```
fixed_from_CE(year, month, day)
```

```
fixed_to_CE(object)
```

```
fixed_from_b2k(year, month, day)
```

```
fixed_to_b2k(object)
```

Arguments

year	A numeric vector of years. If month and day are missing, decimal years are expected.
month	A numeric vector of months.
day	A numeric vector of days.
object	A RataDie object (see <code>fixed()</code>).

Details

The astronomical notation is used for Gregorian years (there *is* a year 0).

Value

- `fixed_from_*`() returns a **RataDie** object.
- `fixed_to_*`() returns a **numeric** vector of Gregorian years.

Author(s)

N. Frerebeau

References

Reingold, E. M. and Dershowitz, N. (2018). *Calendrical Calculations: The Ultimate Edition*. Cambridge University Press. doi:10.1017/9781107415058.

See Also

Other fixed date tools: `arithmetic`, `as_date()`, `as_decimal()`, `as_fixed()`, `as_year()`, `fixed()`, `fixed_julian`, `format()`, `pretty()`

Examples

```
## R 1.0.0
(y <- fixed(year = 2000, month = 02, day = 29, calendar = CE()))
as_date(y, calendar = CE())
```

```

as_year(y, calendar = CE())

## Create a vector of years BP (Gregorian)
## (every two years starting from 2000 BP)
(years <- seq(from = 2000, by = -2, length.out = 10))
## Convert years to rata die
(rd <- fixed(years, calendar = BP()))
## Convert back to Gregorian years BP
as_year(rd, calendar = BP())

## More convenient
(rd <- fixed_from_BP(years))
fixed_to_BP(rd)

```

fixed_julian	Rata Die Conversion to and from Julian Years
--------------	--

Description

Convenient functions for conversion from and to *rata die*.

Usage

```
fixed_from_julian(year, month, day)
```

```
fixed_to_julian(object)
```

Arguments

year	A numeric vector of years. If month and day are missing, decimal years are expected.
month	A numeric vector of months.
day	A numeric vector of days.
object	A RataDie object (see <code>fixed()</code>).

Value

- `fixed_from_julian()` returns a **RataDie** object.
- `fixed_to_julian()` returns a **numeric** vector of Julian years.

Author(s)

N. Frerebeau

References

Reingold, E. M. and Dershowitz, N. (2018). *Calendrical Calculations: The Ultimate Edition*. Cambridge University Press. doi:10.1017/9781107415058.

See Also

Other fixed date tools: [arithmetic](#), [as_date\(\)](#), [as_decimal\(\)](#), [as_fixed\(\)](#), [as_year\(\)](#), [fixed\(\)](#), [fixed_gregorian](#), [format\(\)](#), [pretty\(\)](#)

Examples

```
## R 1.0.0
(y <- fixed(year = 2000, month = 02, day = 29, calendar = CE()))
as_date(y, calendar = CE())
as_year(y, calendar = CE())

## Create a vector of years BP (Gregorian)
## (every two years starting from 2000 BP)
(years <- seq(from = 2000, by = -2, length.out = 10))
## Convert years to rata die
(rd <- fixed(years, calendar = BP()))
## Convert back to Gregorian years BP
as_year(rd, calendar = BP())

## More convenient
(rd <- fixed_from_BP(years))
fixed_to_BP(rd)
```

format

*Date Conversion to Character***Description**

Date Conversion to Character

Usage

```
## S4 method for signature 'TimeScale'
format(x, ...)

## S4 method for signature 'RataDie'
format(
  x,
  prefix = c("a", "ka", "Ma", "Ga"),
  label = TRUE,
  calendar = get_calendar(),
  ...
)
```

Arguments

x A [RataDie](#) object.
... Currently not used.

prefix	A character string specifying the prefix. It should be one of "a", "ka", "Ma" or "Ga". If TRUE, a good guess for an appropriate format is made.
label	A logical scalar: should the label of the calendar be displayed?
calendar	A TimeScale object specifying the target calendar (see calendar()).

Value

A [character](#) vector representing the date.

Author(s)

N. Frerebeau

See Also

Other fixed date tools: [arithmetic](#), [as_date\(\)](#), [as_decimal\(\)](#), [as_fixed\(\)](#), [as_year\(\)](#), [fixed\(\)](#), [fixed_gregorian](#), [fixed_julian](#), [pretty\(\)](#)

Examples

```
## R 1.0.0
(y <- fixed(year = 2000, month = 02, day = 29, calendar = CE()))
as_date(y, calendar = CE())
as_year(y, calendar = CE())

## Create a vector of years BP (Gregorian)
## (every two years starting from 2000 BP)
(years <- seq(from = 2000, by = -2, length.out = 10))
## Convert years to rata die
(rd <- fixed(years, calendar = BP()))
## Convert back to Gregorian years BP
as_year(rd, calendar = BP())

## More convenient
(rd <- fixed_from_BP(years))
fixed_to_BP(rd)
```

get_calendar

Get or Set the Default Calendar

Description

Get or Set the Default Calendar

Usage

```
get_calendar(...)  
  
set_calendar(object)  
  
## S4 method for signature 'ANY'  
get_calendar(...)  
  
## S4 method for signature 'character'  
set_calendar(object)  
  
## S4 method for signature 'missing'  
set_calendar()
```

Arguments

...	Currently not used.
object	A character string specifying the abbreviated label of the time scale (see calendar()) or an object from which to extract the time scale.

Value

A [TimeScale](#) object.

Author(s)

N. Frerebeau

See Also

Other calendar tools: [calendar\(\)](#), [calendar_get](#), [convert\(\)](#), [gregorian](#), [is_calendar\(\)](#), [julian\(\)](#)

Examples

```
## Define time scales  
calendar("BP")  
calendar("AD")  
calendar("julian")  
  
## Shortcuts  
BP()  
AD()  
J()
```

gregorian

Gregorian Calendar

Description

Gregorian Calendar

Usage

BP(...)

b2k(...)

BC(...)

BCE(...)

AD(...)

CE(...)

Arguments

... Currently not used.

Value

A [GregorianCalendar](#) object.

Author(s)

N. Frerebeau

See Also

[calendar\(\)](#)

Other calendar tools: [calendar\(\)](#), [calendar_get](#), [convert\(\)](#), [get_calendar\(\)](#), [is_calendar\(\)](#), [julian\(\)](#)

Examples

```
## Define time scales
calendar("BP")
calendar("AD")
calendar("julian")

## Shortcuts
BP()
```



```
AD()
J()
```

```
image
```

```
Heat Map
```

Description

Heat Map

Usage

```
## S4 method for signature 'TimeSeries'
image(x, calendar = get_calendar(), k = 1, ...)
```

Arguments

x	A TimeSeries object.
calendar	A TimeScale object specifying the target calendar (see calendar()).
k	An integer specifying the slice of x along the third dimension to be plotted.
...	Further parameters to be passed to graphics::image() .

Value

`image()` is called for its side-effects: it results in a graphic being displayed. Invisibly returns x.

Author(s)

N. Frerebeau

See Also

[graphics::image\(\)](#)
Other plotting tools: [plot\(\)](#), [year_axis\(\)](#)

Examples

```
## Create 6 time-series of 50 observations
## Sampled every two years starting from 2000 BP
X <- series(
  object = matrix(rnorm(300), nrow = 50, ncol = 6),
  time = seq(2000, by = -2, length.out = 50),
  calendar = BP()
)

## Image
image(X, calendar = CE())
```

intervals *Create Time Intervals*

Description

An Interval is elapsed time in seconds between two specific years.

Usage

```
intervals(start, end, calendar, ...)

## S4 method for signature 'RataDie,RataDie,missing'
intervals(start, end, names = NULL)

## S4 method for signature 'numeric,numeric,TimeScale'
intervals(start, end, calendar, scale = 1, names = NULL)
```

Arguments

start	A numeric vector of (decimal) years or a RataDie object (see fixed()) giving the beginning of the time intervals.
end	A numeric vector of (decimal) years or a RataDie object (see fixed()) giving the end of the time intervals.
calendar	A TimeScale object specifying the calendar of time (see calendar()). If missing, time must be a RataDie object.
...	Currently not used.
names	A character string specifying the names of the time series.
scale	A length-one numeric vector specifying the number of years represented by one unit. It should be a power of 10 (i.e. 1000 means ka).

Value

A [TimeIntervals](#) object.

Author(s)

N. Frerebeau

Examples

```
## Create time intervals
int <- intervals(
  start = c(625, 700, 1200, 1225, 1250, 500, 1000, 1200,
            1325, 1375, 1200, 1300, 1375, 1275, 1325),
  end = c(750, 825, 1250, 1275, 1325, 700, 1300, 1325,
          1400, 1500, 1300, 1375, 1500, 1325, 1425),
  calendar = CE())
```

```
)  
  
## Plot intervals  
plot(int) # Default calendar  
  
## Overlap  
overlap(int, calendar = CE())
```

is_calendar

Is an Object a Calendar?

Description

Test inheritance relationships between an object and a calendar class.

Usage

```
is_calendar(object)  
  
is_gregorian(object)  
  
is_julian(object)
```

Arguments

object Any R object.

Value

A [logical](#) scalar.

Author(s)

N. Frerebeau

See Also

Other calendar tools: [calendar\(\)](#), [calendar_get](#), [convert\(\)](#), [get_calendar\(\)](#), [gregorian](#), [julian\(\)](#)

julian

Julian Calendar

Description

Julian Calendar

Usage

J(...)

Arguments

... Currently not used.

Value

A [JulianCalendar](#) object.

Author(s)

N. Frerebeau

See Also

[calendar\(\)](#)

Other calendar tools: [calendar\(\)](#), [calendar_get](#), [convert\(\)](#), [get_calendar\(\)](#), [gregorian](#), [is_calendar\(\)](#)

Examples

```
## Define time scales
calendar("BP")
calendar("AD")
calendar("julian")

## Shortcuts
BP()
AD()
J()
```

labels	<i>Labels</i>
--------	---------------

Description

Find a suitable set of labels from an object.

Usage

```
## S4 method for signature 'TimeSeries'  
labels(object, ...)  
  
## S4 method for signature 'TimeIntervals'  
labels(object, ...)
```

Arguments

object	An R object.
...	Currently not used.

Value

A [character](#) vector.

Author(s)

N. Frerebeau

See Also

Other mutators: [as.data.frame\(\)](#), [length\(\)](#), [subset\(\)](#)

length	<i>Length</i>
--------	---------------

Description

Get the length of an object.

Usage

```
## S4 method for signature 'TimeIntervals'  
length(x)
```

Arguments

x	An R object.
---	--------------

Value

A length-one [integer](#) vector.

Author(s)

N. Frerebeau

See Also

Other mutators: [as.data.frame\(\)](#), [labels\(\)](#), [subset\(\)](#)

 overlap

Time Overlap

Description

Computes the length of overlap of time intervals.

Usage

```
overlap(x, ...)
```

```
## S4 method for signature 'TimeIntervals'
overlap(x, calendar = NULL, aggregate = TRUE)
```

Arguments

x	A TimeIntervals object.
...	Currently not used.
calendar	A TimeScale object specifying the target calendar (see calendar()). If NULL (the default), <i>rata die</i> are returned.
aggregate	A logical scalar: should disjoint intervals referring to the same event be aggregated?

Details

The overlap of two time intervals is a difference between the minimum value of the two upper boundaries and the maximum value of the two lower boundaries, plus 1.

Value

A symmetric numeric [matrix](#) of years.

Author(s)

N. Frerebeau

See Also

Other chronological reasoning tools: [as_graph\(\)](#)

Examples

```
## Create time intervals
int <- intervals(
  start = c(625, 700, 1200, 1225, 1250, 500, 1000, 1200,
            1325, 1375, 1200, 1300, 1375, 1275, 1325),
  end   = c(750, 825, 1250, 1275, 1325, 700, 1300, 1325,
            1400, 1500, 1300, 1375, 1500, 1325, 1425),
  calendar = CE()
)

## Plot intervals
plot(int) # Default calendar

## Overlap
overlap(int, calendar = CE())
```

plot

Plot Time Series and Time Intervals

Description

Plot Time Series and Time Intervals

Usage

```
## S4 method for signature 'TimeIntervals,missing'
plot(
  x,
  calendar = get_calendar(),
  sort = TRUE,
  decreasing = FALSE,
  xlab = NULL,
  ylab = NULL,
  main = NULL,
  sub = NULL,
  ann = graphics::par("ann"),
  axes = TRUE,
  frame.plot = axes,
  panel.first = NULL,
  panel.last = NULL,
  ...
)

## S4 method for signature 'TimeSeries,missing'
```

```

plot(
  x,
  facet = c("multiple", "single"),
  calendar = get_calendar(),
  panel = graphics::lines,
  flip = FALSE,
  ncol = NULL,
  xlab = NULL,
  ylab = NULL,
  main = NULL,
  sub = NULL,
  ann = graphics::par("ann"),
  axes = TRUE,
  frame.plot = axes,
  panel.first = NULL,
  panel.last = NULL,
  ...
)

```

Arguments

x	A TimeSeries or a TimeIntervals object.
calendar	A TimeScale object specifying the target calendar (see calendar()).
sort	A logical scalar: should the data be sorted in chronological order?
decreasing	A logical scalar: should the sort order be decreasing? Only used if sort is TRUE.
xlab, ylab	A character vector giving the x and y axis labels.
main	A character string giving a main title for the plot.
sub	A character string giving a subtitle for the plot.
ann	A logical scalar: should the default annotation (title and x and y axis labels) appear on the plot?
axes	A logical scalar: should axes be drawn on the plot?
frame.plot	A logical scalar: should a box be drawn around the plot?
panel.first	An expression to be evaluated after the plot axes are set up but before any plotting takes place. This can be useful for drawing background grids.
panel.last	An expression to be evaluated after plotting has taken place but before the axes, title and box are added.
...	Further parameters to be passed to panel (e.g. graphical parameters).
facet	A character string specifying whether the series should be plotted separately (with a common time axis) or on a single plot? It must be one of "multiple" or "single". Any unambiguous substring can be given.
panel	A function in the form <code>function(x, y, ...)</code> which gives the action to be carried out in each panel of the display. The default is graphics::lines() .
flip	A logical scalar: should the y-axis (ticks and numbering) be flipped from side 2 (left) to 4 (right) from series to series when facet is "multiple"?

`ncol` An *integer* specifying the number of columns to use when facet is "multiple". Defaults to 1 for up to 4 series, otherwise to 2.

Value

`plot()` is called for its side-effects: it results in a graphic being displayed. Invisibly returns `x`.

Author(s)

N. Frerebeau

See Also

[graphics::plot\(\)](#)

Other plotting tools: [image\(\)](#), [year_axis\(\)](#)

Examples

```
## Create 6 time-series of 50 observations
## Sampled every two years starting from 2000 BP
X <- series(
  object = matrix(rnorm(300), nrow = 50, ncol = 6),
  time = seq(2000, by = -2, length.out = 50),
  calendar = BP()
)

## Multiple
plot(X) # Default calendar
plot(X, calendar = BP(), flip = TRUE) # BP
plot(X, calendar = b2k(), ncol = 1) # b2k

## Single
plot(X, facet = "single") # CE
plot(X, facet = "single", calendar = BP()) # BP

## Create 6 x 3 time-series of 50 observations
## Sampled every two years starting from 2000 BP
X <- series(
  object = array(rnorm(900), dim = c(50, 6, 3)),
  time = seq(2000, by = 2, length.out = 50),
  calendar = BP()
)
plot(X, calendar = BP(), flip = TRUE) # BP
plot(X, calendar = b2k(), ncol = 1) # b2k

## Graphical parameters
plot(X, lwd = c(1, 2, 3), col = c("#004488", "#DDAA33", "#BB5566"))
plot(X, type = "b", pch = 16, col = c("#004488", "#DDAA33", "#BB5566"))
plot(X, type = "p", pch = c(16, 17, 18), cex = c(1, 2, 3))
```

pretty	<i>Pretty Breakpoints</i>
--------	---------------------------

Description

Pretty Breakpoints

Usage

```
## S4 method for signature 'RataDie'
pretty(x, calendar = get_calendar(), ...)
```

Arguments

x	A RataDie object.
calendar	A TimeScale object specifying the target calendar (see calendar()).
...	Further parameters to be passed to base::pretty() .

Details

`pretty()` computes a vector of increasing numbers which are "pretty" in decimal notation of calendar. Pretty breakpoints are then converted to *rata die*.

Value

A [RataDie](#) object.

See Also

Other fixed date tools: [arithmetic](#), [as_date\(\)](#), [as_decimal\(\)](#), [as_fixed\(\)](#), [as_year\(\)](#), [fixed\(\)](#), [fixed_gregorian](#), [fixed_julian](#), [format\(\)](#)

RataDie-class	<i>RataDie</i>
---------------	----------------

Description

An S4 class to represent a vector of *rata die*.

Details

Rata die (fixed date) are represented as the number of days since 01-01-01 (Gregorian), with negative values for earlier dates.

It is intended that the date should be an integer value, but this is not enforced in the internal representation.

Slots

.Data A [numeric](#) vector giving the *rata die* values.

Note

This class inherits from [numeric](#).

Author(s)

N. Frerebeau

See Also

Other classes: [GregorianCalendar-class](#), [JulianCalendar-class](#), [TimeIntervals-class](#), [TimeScale-class](#), [TimeSeries-class](#)

Other time classes: [TimeIntervals-class](#), [TimeSeries-class](#)

series	<i>Create Time Series</i>
--------	---------------------------

Description

Create Time Series

Usage

```
series(object, time, calendar, ...)

## S4 method for signature 'array,RataDie,missing'
series(object, time, names = NULL)

## S4 method for signature 'array,numeric,TimeScale'
series(object, time, calendar, scale = 1, names = NULL)

## S4 method for signature 'matrix,numeric,TimeScale'
series(object, time, calendar, scale = 1, names = NULL)

## S4 method for signature 'matrix,RataDie,missing'
series(object, time, names = NULL)

## S4 method for signature 'numeric,numeric,TimeScale'
series(object, time, calendar, scale = 1, names = NULL)

## S4 method for signature 'numeric,RataDie,missing'
series(object, time, names = NULL)

## S4 method for signature 'data.frame,numeric,TimeScale'
```

```
series(object, time, calendar, scale = 1, names = NULL)

## S4 method for signature 'data.frame,RataDie,missing'
series(object, time, names = NULL)
```

Arguments

object	A numeric vector, matrix or array of the observed time-series values. A data.frame will be coerced to a numeric matrix via data.matrix() .
time	A numeric vector of (decimal) years or a RataDie object (see fixed()).
calendar	A TimeScale object specifying the calendar of time (see calendar()). If missing, time must be a RataDie object.
...	Currently not used.
names	A character string specifying the names of the time series.
scale	A length-one numeric vector specifying the number of years represented by one unit. It should be a power of 10 (i.e. 1000 means ka).

Details

Data will be sorted in chronological order.

Value

A [TimeSeries](#) object.

Author(s)

N. Frerebeau

Examples

```
## Create time-series of 20 observations

## Univariate
## Sampled every years starting from 1029 BCE
(X <- series(rnorm(30), time = 1029:1000, calendar = BCE()))

## Terminal and sampling times (returns rata die)
start(X)
end(X)
time(X)
span(X)

## Multivariate
## Sampled every century starting from 1000 CE
(Y <- series(matrix(rnorm(90), 30, 3), time = 1000:1029, calendar = CE()))

## Terminal and sampling times (returns Gregorian Common Era years)
start(Y, calendar = CE())
end(Y, calendar = CE())
```

```
time(Y, calendar = CE())
span(Y, calendar = CE())

## Coerce to data frame
df <- as.data.frame(Y, calendar = BP())
head(df)
```

span	<i>Duration</i>
------	-----------------

Description

Get the duration of time series or intervals.

Usage

```
span(x, ...)
```

```
## S4 method for signature 'TimeSeries'
span(x, calendar = NULL)
```

```
## S4 method for signature 'TimeIntervals'
span(x, calendar = NULL)
```

Arguments

x	A TimeSeries or a TimeIntervals object.
...	Currently not used.
calendar	A TimeScale object specifying the target calendar (see calendar()). If NULL (the default), <i>rata die</i> are returned.

Value

A [numeric](#) vector of years.

Author(s)

N. Frerebeau

See Also

Other tools: [start\(\)](#), [time\(\)](#), [window\(\)](#)

Examples

```
## Create time intervals
int <- intervals(
  start = c(625, 700, 1200, 1225, 1250, 500, 1000, 1200,
            1325, 1375, 1200, 1300, 1375, 1275, 1325),
  end = c(750, 825, 1250, 1275, 1325, 700, 1300, 1325,
          1400, 1500, 1300, 1375, 1500, 1325, 1425),
  calendar = CE()
)

## Get time durations
span(int, calendar = CE())
```

start	<i>Terminal Times</i>
-------	-----------------------

Description

Get the times the first and last observations were taken.

Usage

```
## S4 method for signature 'TimeSeries'
start(x, calendar = NULL, ...)

## S4 method for signature 'TimeIntervals'
start(x, calendar = NULL, ...)

## S4 method for signature 'TimeSeries'
end(x, calendar = NULL, ...)

## S4 method for signature 'TimeIntervals'
end(x, calendar = NULL, ...)
```

Arguments

x	A TimeSeries object.
calendar	A TimeScale object specifying the target calendar (see calendar()). If NULL (the default), <i>rata die</i> are returned.
...	Currently not used.

Value

A [numeric](#) vector of decimal years (if calendar is not NULL).

Author(s)

N. Frerebeau

See Also

Other tools: [span\(\)](#), [time\(\)](#), [window\(\)](#)

Examples

```
## Create time-series of 20 observations

## Univariate
## Sampled every years starting from 1029 BCE
(X <- series(rnorm(30), time = 1029:1000, calendar = BCE()))

## Terminal and sampling times (returns rata die)
start(X)
end(X)
time(X)
span(X)

## Multivariate
## Sampled every century starting from 1000 CE
(Y <- series(matrix(rnorm(90), 30, 3), time = 1000:1029, calendar = CE()))

## Terminal and sampling times (returns Gregorian Common Era years)
start(Y, calendar = CE())
end(Y, calendar = CE())
time(Y, calendar = CE())
span(Y, calendar = CE())

## Coerce to data frame
df <- as.data.frame(Y, calendar = BP())
head(df)
```

subset

Extract or Replace Parts of an Object

Description

Operators acting on objects to extract or replace parts.

Usage

```
## S4 method for signature 'RataDie'
x[i]

## S4 method for signature 'TimeIntervals'
x[i]

## S4 method for signature 'TimeSeries'
x[i, j, k, drop = FALSE]
```

Arguments

x	An object from which to extract element(s) or in which to replace element(s).
i, j, k	Indices specifying elements to extract or replace.
drop	A logical scalar: should the result be coerced to the lowest possible dimension? This only works for extracting elements, not for the replacement.

Value

A subsetted object.

Author(s)

N. Frerebeau

See Also

Other mutators: [as.data.frame\(\)](#), [labels\(\)](#), [length\(\)](#)

time

Sampling Times

Description

Get the sampling times:

- `time()` creates the vector of times at which a time series was sampled.
- `frequency()` returns the mean number of samples per unit time.

Usage

```
## S4 method for signature 'TimeSeries'
time(x, calendar = NULL, ...)
```

```
## S4 method for signature 'TimeSeries'
frequency(x, ...)
```

Arguments

x	A TimeSeries object.
calendar	A TimeScale object specifying the target calendar (see calendar()). If NULL (the default), <i>rata die</i> are returned.
...	Currently not used.

Value

A [numeric](#) vector of decimal years (if calendar is not NULL).

Author(s)

N. Frerebeau

See AlsoOther tools: [span\(\)](#), [start\(\)](#), [window\(\)](#)**Examples**

```
## Create time-series of 20 observations

## Univariate
## Sampled every years starting from 1029 BCE
(X <- series(rnorm(30), time = 1029:1000, calendar = BCE()))

## Terminal and sampling times (returns rata die)
start(X)
end(X)
time(X)
span(X)

## Multivariate
## Sampled every century starting from 1000 CE
(Y <- series(matrix(rnorm(90), 30, 3), time = 1000:1029, calendar = CE()))

## Terminal and sampling times (returns Gregorian Common Era years)
start(Y, calendar = CE())
end(Y, calendar = CE())
time(Y, calendar = CE())
span(Y, calendar = CE())

## Coerce to data frame
df <- as.data.frame(Y, calendar = BP())
head(df)
```

TimeIntervals-class *TimeIntervals*

Description

An S4 class to represent time intervals.

Slots

- .Id A [character](#) vector specifying the identifier/name of intervals. Duplicated values are interpreted as disjoint intervals referring to the same event.
- .Start A [RataDie](#) object giving the start time of the intervals.
- .End A [RataDie](#) object giving the end time of the intervals.

Author(s)

N. Frerebeau

See Also

Other classes: [GregorianCalendar-class](#), [JulianCalendar-class](#), [RataDie-class](#), [TimeScale-class](#), [TimeSeries-class](#)

Other time classes: [RataDie-class](#), [TimeSeries-class](#)

TimeScale-class	<i>TimeScale</i>
-----------------	------------------

Description

A virtual S4 class to represent a calendar.

Slots

label A [character](#) string specifying the abbreviated label of the time scale.

name A [character](#) string specifying the name of the time scale.

epoch A [numeric](#) value specifying the epoch year from which years are counted (starting date of the calendar, in years). Allows to define multiple era of a calendar.

fixed A [numeric](#) value specifying the reference date of the calendar (in *rata die*).

direction An [integer](#) specifying if years are counted backwards (-1) or forwards (1) from epoch.

year A [numeric](#) value giving the average length of the year in solar days.

Author(s)

N. Frerebeau

See Also

Other classes: [GregorianCalendar-class](#), [JulianCalendar-class](#), [RataDie-class](#), [TimeIntervals-class](#), [TimeSeries-class](#)

Other calendar classes: [GregorianCalendar-class](#), [JulianCalendar-class](#)

TimeSeries-class	<i>TimeSeries</i>
------------------	-------------------

Description

An S4 class to represent time series.

Details

A time series object is an $n \times m \times p$ array, with n being the number of observations, m being the number of series and with the p columns of the third dimension containing extra variables for each series.

Slots

.Data A $n \times m \times p$ numeric [array](#) giving the observed time-series values.
.Time A length- n [RataDie](#) object.

Note

This class inherits from [array](#).

Author(s)

N. Frerebeau

See Also

Other classes: [GregorianCalendar-class](#), [JulianCalendar-class](#), [RataDie-class](#), [TimeIntervals-class](#), [TimeScale-class](#)
Other time classes: [RataDie-class](#), [TimeIntervals-class](#)

window	<i>Time Windows</i>
--------	---------------------

Description

Extracts the subset of the object x observed between the times `start` and `end` (expressed in *rata die*).

Usage

```
## S4 method for signature 'TimeSeries'  
window(x, start = NULL, end = NULL, ...)
```

Arguments

x	A <code>TimeSeries</code> object.
start	A length-one <code>numeric</code> vector specifying the start time of the period of interest.
end	A length-one <code>numeric</code> vector specifying the end time of the period of interest.
...	Currently not used.

Value

A `TimeSeries` object.

Author(s)

N. Frerebeau

See Also

Other tools: `span()`, `start()`, `time()`

Examples

```
## Create 3 time-series of 100 observations
## Sampled every years starting from 1000 CE
(x <- series(matrix(rnorm(300), 100, 3), time = 1000:1099, calendar = CE()))

## Subset between 1025 and 1050 CE
(y <- window(x, start = 374009, end = 383140))
```

year_axis

Time Series Plotting Functions

Description

Time Series Plotting Functions

Usage

```
year_axis(
  side,
  at = NULL,
  format = c("a", "ka", "Ma", "Ga"),
  labels = TRUE,
  calendar = getOption("aion.last_calendar"),
  current_calendar = getOption("aion.last_calendar"),
  ...
)
```

Arguments

side	An integer specifying which side of the plot the axis is to be drawn on. The axis is placed as follows: 1=below, 2=left, 3=above and 4=right.
at	A numeric vector giving the points at which tick-marks are to be drawn. If NULL, tickmark locations are computed.
format	A character string specifying the prefix. It should be one of "a", "ka", "Ma" or "Ga". If TRUE, a good guess for an appropriate format is made.
labels	A logical scalar specifying whether annotations are to be made at the tick-marks, or a vector of character strings to be placed at the tickpoints.
calendar	A TimeScale object specifying the target calendar (see calendar()).
current_calendar	A TimeScale object specifying the calendar used by the last call to plot() .
...	Further parameters to be passed to graphics::axis() . (e.g. graphical parameters).

Value

year_axis() is called it for its side-effects.

Author(s)

N. Frerebeau

See Also

Other plotting tools: [image\(\)](#), [plot\(\)](#)

Examples

```
## Create a time-series of 300 observations
## Sampled every two years starting from 2000 BP
X <- series(
  object = rnorm(300),
  time = seq(2000, by = -2, length.out = 300),
  calendar = BP()
)

## Axis
plot(X, axes = FALSE, calendar = BP()) # Remove axes
year_axis(side = 1) # Same calendar as last plot
year_axis(side = 3, calendar = CE()) # Specific calendar
mtext(format(CE()), side = 3, line = 3)

## Grid
plot(X, panel.first = graphics::grid())
```

Index

- * **calendar classes**
 - TimeScale-class, 42
- * **calendar tools**
 - calendar, 12
 - calendar_get, 13
 - convert, 15
 - get_calendar, 22
 - gregorian, 24
 - is_calendar, 27
 - julian, 28
- * **chronological reasoning tools**
 - as_graph, 9
 - overlap, 30
- * **classes**
 - RataDie-class, 34
 - TimeIntervals-class, 41
 - TimeScale-class, 42
 - TimeSeries-class, 43
- * **datasets**
 - dates, 16
- * **fixed date tools**
 - arithmetic, 3
 - as_date, 5
 - as_decimal, 7
 - as_fixed, 8
 - as_year, 10
 - fixed, 17
 - fixed_gregorian, 18
 - fixed_julian, 20
 - format, 21
 - pretty, 34
- * **mutators**
 - as.data.frame, 4
 - labels, 29
 - length, 29
 - subset, 39
- * **plotting tools**
 - image, 25
 - plot, 31
- year_axis, 44
- * **time classes**
 - RataDie-class, 34
 - TimeIntervals-class, 41
 - TimeSeries-class, 43
- * **time intervals**
 - intervals, 26
- * **time series**
 - series, 35
- * **tools**
 - span, 37
 - start, 38
 - time, 40
 - window, 43
- .RataDie (RataDie-class), 34
- .TimeIntervals (TimeIntervals-class), 41
- .TimeScale (TimeScale-class), 42
- .TimeSeries (TimeSeries-class), 43
- [, RataDie-method (subset), 39
- [, TimeIntervals-method (subset), 39
- [, TimeSeries-method (subset), 39
- AD (gregorian), 24
- Arith, numeric, RataDie-method (arithmetic), 3
- Arith, RataDie, numeric-method (arithmetic), 3
- Arith, RataDie, RataDie-method (arithmetic), 3
- arithmetic, 3, 6–8, 11, 18, 19, 21, 22, 34
- array, 43
- as.data.frame, 4, 29, 30, 40
- as.data.frame, TimeIntervals-method (as.data.frame), 4
- as.data.frame, TimeSeries-method (as.data.frame), 4
- as_date, 3, 5, 7, 8, 11, 18, 19, 21, 22, 34
- as_date, numeric, GregorianCalendar-method (as_date), 5

- as_date, numeric, JulianCalendar-method (as_date), 5
- as_date-method (as_date), 5
- as_decimal, 3, 6, 7, 8, 11, 18, 19, 21, 22, 34
- as_decimal, numeric, numeric, numeric, GregorianCalendar-method (as_decimal), 7
- as_decimal, numeric, numeric, numeric, JulianCalendar-method (as_decimal), 7
- as_decimal-method (as_decimal), 7
- as_fixed, 3, 6, 7, 8, 11, 18, 19, 21, 22, 34
- as_fixed, numeric-method (as_fixed), 8
- as_fixed-method (as_fixed), 8
- as_graph, 9, 31
- as_graph, TimeIntervals-method (as_graph), 9
- as_graph-method (as_graph), 9
- as_year, 3, 6–8, 10, 18, 19, 21, 22, 34
- as_year, numeric, GregorianCalendar-method (as_year), 10
- as_year, numeric, JulianCalendar-method (as_year), 10
- as_year-method (as_year), 10

- b2k (gregorian), 24
- base::pretty(), 34
- BC (gregorian), 24
- BCE (gregorian), 24
- BP (gregorian), 24

- calendar, 12, 14, 15, 23, 24, 27, 28
- calendar(), 4, 6, 7, 11, 17, 22–26, 28, 30, 32, 34, 36–38, 40, 45
- calendar, character-method (calendar), 12
- calendar-method (calendar), 12
- calendar_direction (calendar_get), 13
- calendar_direction, NULL-method (calendar_get), 13
- calendar_direction, TimeScale-method (calendar_get), 13
- calendar_direction-method (calendar_get), 13
- calendar_epoch (calendar_get), 13
- calendar_epoch, TimeScale-method (calendar_get), 13
- calendar_epoch-method (calendar_get), 13
- calendar_fixed (calendar_get), 13
- calendar_fixed, TimeScale-method (calendar_get), 13
- calendar_fixed-method (calendar_get), 13
- calendar_get, 12, 13, 15, 23, 24, 27, 28
- calendar_label (calendar_get), 13
- calendar_label, TimeScale-method (calendar_get), 13
- calendar_label-method (calendar_get), 13
- calendar_name (calendar_get), 13
- calendar_name, TimeScale-method (calendar_get), 13
- calendar_name-method (calendar_get), 13
- calendar_unit (calendar_get), 13
- calendar_unit, TimeScale-method (calendar_get), 13
- calendar_unit-method (calendar_get), 13
- calendar_year (calendar_get), 13
- calendar_year, TimeScale-method (calendar_get), 13
- calendar_year-method (calendar_get), 13
- CE (gregorian), 24
- character, 12, 14, 22, 23, 26, 29, 32, 36, 41, 42, 45
- convert, 12, 14, 15, 23, 24, 27, 28
- convert, character, character-method (convert), 15
- convert, TimeScale, TimeScale-method (convert), 15
- convert-method (convert), 15

- data.frame, 4, 5, 16, 36
- data.frame(), 4
- data.matrix(), 36
- dates, 16

- end, TimeIntervals-method (start), 38
- end, TimeSeries-method (start), 38
- end-method (start), 38
- era::era(), 12

- fixed, 3, 6–8, 11, 17, 19, 21, 22, 34
- fixed(), 6, 11, 19, 20, 26, 36
- fixed, numeric, missing, missing, GregorianCalendar-method (fixed), 17
- fixed, numeric, missing, missing, JulianCalendar-method (fixed), 17
- fixed, numeric, numeric, numeric, GregorianCalendar-method (fixed), 17
- fixed, numeric, numeric, numeric, JulianCalendar-method (fixed), 17
- fixed-method (fixed), 17
- fixed_from_AD (fixed_gregorian), 18

- fixed_from_b2k (fixed_gregorian), 18
- fixed_from_BC (fixed_gregorian), 18
- fixed_from_BCE (fixed_gregorian), 18
- fixed_from_BP (fixed_gregorian), 18
- fixed_from_CE (fixed_gregorian), 18
- fixed_from_julian (fixed_julian), 20
- fixed_gregorian, 3, 6–8, 11, 18, 18, 21, 22, 34
- fixed_julian, 3, 6–8, 11, 18, 19, 20, 22, 34
- fixed_to_AD (fixed_gregorian), 18
- fixed_to_b2k (fixed_gregorian), 18
- fixed_to_BC (fixed_gregorian), 18
- fixed_to_BCE (fixed_gregorian), 18
- fixed_to_BP (fixed_gregorian), 18
- fixed_to_CE (fixed_gregorian), 18
- fixed_to_julian (fixed_julian), 20
- format, 3, 6–8, 11, 18, 19, 21, 21, 34
- format, RataDie-method (format), 21
- format, TimeScale-method (format), 21
- frequency, TimeSeries-method (time), 40
- frequency-method (time), 40
- function, 15, 32

- get_calendar, 12, 14, 15, 22, 24, 27, 28
- get_calendar, ANY-method (get_calendar), 22
- get_calendar-method (get_calendar), 22
- graphical parameters, 32, 45
- graphics::axis(), 45
- graphics::image(), 25
- graphics::lines(), 32
- graphics::plot(), 33
- gregorian, 12, 14, 15, 23, 24, 27, 28
- GregorianCalendar, 24

- image, 25, 33, 45
- image, TimeSeries-method (image), 25
- integer, 14, 17, 25, 30, 33, 42, 45
- intervals, 26
- intervals, numeric, numeric, TimeScale-method (intervals), 26
- intervals, RataDie, RataDie, missing-method (intervals), 26
- intervals-method (intervals), 26
- is_calendar, 12, 14, 15, 23, 24, 27, 28
- is_gregorian (is_calendar), 27
- is_julian (is_calendar), 27

- J (julian), 28

- julian, 12, 14, 15, 23, 24, 27, 28
- JulianCalendar, 28

- labels, 5, 29, 30, 40
- labels, TimeIntervals-method (labels), 29
- labels, TimeSeries-method (labels), 29
- length, 5, 29, 29, 40
- length, TimeIntervals-method (length), 29
- logical, 3, 9, 11, 22, 27, 30, 32, 40, 45

- matrix, 30

- numeric, 3, 6–8, 11, 14, 17, 19, 20, 26, 35–38, 40, 42, 44, 45

- overlap, 10, 30
- overlap, TimeIntervals-method (overlap), 30
- overlap-method (overlap), 30

- plot, 25, 31, 45
- plot(), 45
- plot, TimeIntervals, missing-method (plot), 31
- plot, TimeSeries, missing-method (plot), 31
- pretty, 3, 6–8, 11, 18, 19, 21, 22, 34
- pretty, RataDie-method (pretty), 34

- RataDie, 3, 6, 8, 11, 17, 19–21, 26, 34, 36, 41, 43
- RataDie-class, 34

- series, 35
- series, array, numeric, TimeScale-method (series), 35
- series, array, RataDie, missing-method (series), 35
- series, data.frame, numeric, TimeScale-method (series), 35
- series, data.frame, RataDie, missing-method (series), 35
- series, matrix, numeric, TimeScale-method (series), 35
- series, matrix, RataDie, missing-method (series), 35
- series, numeric, numeric, TimeScale-method (series), 35
- series, numeric, RataDie, missing-method (series), 35

series-method (series), 35
set_calendar (get_calendar), 22
set_calendar, character-method
 (get_calendar), 22
set_calendar, missing-method
 (get_calendar), 22
set_calendar-method (get_calendar), 22
sign, 14
span, 37, 39, 41, 44
span, TimeIntervals-method (span), 37
span, TimeSeries-method (span), 37
span-method (span), 37
start, 37, 38, 41, 44
start, TimeIntervals-method (start), 38
start, TimeSeries-method (start), 38
start-method (start), 38
subset, 5, 29, 30, 39

time, 37, 39, 40, 44
time, TimeSeries-method (time), 40
time-method (time), 40
TimeIntervals, 4, 9, 26, 30, 32, 37
TimeIntervals-class, 41
TimeScale, 4, 6, 7, 11, 12, 14, 15, 17, 22, 23,
 25, 26, 30, 32, 34, 36–38, 40, 45
TimeScale-class, 42
TimeSeries, 4, 25, 32, 36–38, 40, 44
TimeSeries-class, 43

window, 37, 39, 41, 43
window, TimeSeries-method (window), 43
window-method (window), 43

year_axis, 25, 33, 44